



TEE DEE

IMPORTERS, STOCKISTS & SUPPLIERS
OF STRUCTURAL STEEL & OIL FIELD EQUIPMENTS

teedee.ae



CONTENT

- ◆ About Us
- ◆ Mission & Vision
- ◆ Product Catagory
 - ✧ Flat Products
 - ✧ CRCA Coils & Sheets
 - ✧ Long Products
 - ✧ Tubulars
 - ✧ Galvanized Coils
 - ✧ PPGI Coils
 - ✧ Stainless Steel
 - ✧ Aluminum
 - ✧ Copper & Brass
 - ✧ PC Strand
 - ✧ CSL Tubes
 - ✧ Coil Service Center
- ◆ Road Map
- ◆ Contact US

ABOUT US

TEE DEE Trading LLC took its first fledgling steps in the year 1999, making a cautious foray into the UAE market. What began as a small-scale trading enterprise, taking pride in its limited customer base and modest range of products in its launch year, is today a force unto itself, with a consistent growth rate year on year and a very strong customer base to bolster its growth. This in essence is how Tee Dee Trading has since burgeoned to become leading stockiest and suppliers of structural steel and oilfield equipments in UAE.

**“Serving our customers,
anytime, anywhere
has been a corporate
mantra, a philosophy
followed since its
inception”**

With an office established in the best commercial address in town—the Jebel Ali Free Zone, our staff strength over 80, comprises managers, sales executives, finance executives, and stores in charge amidst other seasoned professionals, and all armed with commendable and rich work experience. It is their unwavering commitment to the organization that has helped it grow, and grow with a customer-centric focus, where serving our customers, anytime, anywhere has been a corporate mantra, a philosophy followed since its inception. With an impeccable infrastructure comprising three warehouses, one in

Ras Al Khor and two in Jebel Ali, with a total storage area of about 500,000sq.ft, our impressive fleet promise delivery of goods on time, every time.

Alongside growth came dominance in the steel sector, with a laudable client list comprising EPC companies, leading fabricators, electromechanical companies and construction companies. Business does burgeoned thanks to the superlative quality of our products that we source from across the length and breadth of the global and the competitive rates that we are able to offer due to our extensive global reach.

With the ultimate objective enhancing our own facility, we have launched a new company in JAFZA under the name Tee Dee International FZE in 2015, which will assume honed focus on the import and export markets.

Once the targeted ambitious growth was achieved, next on the anvil were expansion plans that led us into manufacturing and fabrication. Expansion also meant stepping out of our comfort zone and reaching out to other lucrative neighboring markets such as Sultanate of Oman, Qatar, Bahrain, Kuwait and Saudi Arabia, for rising up to newer challenges has always been our forte.

Recently we have come up with a Coil Service Center with ‘the state of the art’ facility to satisfy our customer’s exigency and to enhance our quality services.


Looking back, it has been a sagacious combination of diverse product range, adherence to industry the best practices, a sound financial base and a wide spread supply chain that have kept the company in the forefront of both contemporary technology and laudable business standards.

MISSION STATEMENT

Our constant endeavor is to provide quality and service, the two pillars of Tee Dee. Towards this end, we source products boasting exceptional quality from across the globe and offer such products at prices that favor our loyal customer base.

An ongoing mission is to keep raising the bar with regard to standards in excellence and to set new industry benchmark. Customer satisfaction is the pillar of our corporate philosophy, our dedicated staff force will be trained in dealing quickly and effectively with customer issues.

To sum up, our mission comprises Enterprise, Excellence, Empowerment and Entrepreneurship. Armed with such an enviable combination, Tee Dee is geared up to meet its firm futuristic agenda.



Enterprise
Excellence
Empowerment
Entrepreneurship

With a clear road map in front of us, the company's vision has been to grow not just in the oil sector, but diversify into other allied businesses, expand the operations of the group, reach out to newer markets and by circa 2025, as a group emerge as leaders in the industry.

Product Category

Flat Products

| PRODUCT | SIZE | GRADE |
|----------------------------------|--|--|
| Hot Rolled Steel Plates / Sheets | 1.219 x 2.438m, 1.5 x 6m, 2 x 6m, 2 x 12m, 2.5 x 12m, 3.05 x 12m, Thickness 2 till 100mm | EN - S275JR / S355JR, ASTM - A36, A572 Gr.50 / A516 Gr.70, JIS G 3101, SS400, ABS Gr.A, EH-36 / S355J2 |
| Hot Rolled Checkered Sheets | 1.219 x 2.438m, 1.5 x 6m, 2 x 6m Thickness 2 till 12mm | EN S235JR / S275JR ASTM A36 JIS G 3101 SS400 |
| Hot Rolled Coils | 1219 / 1500 / 2000 x coils Thickness 1.20 till 16mm | EN - S235JR / S275JR ASTM A36 / S355JR |
| Mild Steel Expanded Metal | 1219 x 2438mm Thickness 2 till 6mm | JIS G 3351 |
| Wear Resistant Plates | 2 x 6m Thickness 5 till 20mm | |



CRCA Coils & Sheets

| PRODUCT | SIZE | GRADE |
|-------------------|--|-------------------|
| Cold Rolled Coils | 1.219 x Coils Thickness 0.5 till 2.0mm | JIS G3141 SPCC-SD |
| Cold Rolled Sheet | 1.219 x 2.438mtr Thickness 0.5 till 2.0mm | JIS G3141 SPCC-SD |





Long Products

| PRODUCT | SIZE | GRADE |
|---------------------------------|---|--|
| Universal Beam | UB 127 x 76 till 1016 x 305 | EN - S275JR / S355JR / S355J2 |
| Universal Column | UC 152 x 152 till 356 x 406 | |
| Japanese I beams (JIS) | 150 x 175 till 300 x 150 | |
| HEA & HEB Sections | HEA 100, HEB 100 till HEA 1000, HEB 1000 | |
| European I Beams (IPE Sections) | IPE 80 till IPE 750 | |
| British Channels (PFC) | 100 x 50 till 380 x 100 | |
| European Channels (UPN) | UPN 40 till UPN 400 | |
| Japanese Channels (JIS) | 75 x 40 till 300 x 90 | EN S275JR / S355JR ASTM A36 JIS - SS400 |
| Equal Angles | 25 x 25 till 200 x 200 Thickness 2.5mm till 20mm | EN - S275JR / S355JR / S355J2 ASTM A36 JIS - SS400 |
| Unequal Angles | 75 x 50 till 200 x 100 Thickness 5 till 25mm | EN - S275JR ASTM A36 JIS - SS400 |
| Flat bars | 25 till 300mm Thickness 3 till 25mm | EN - S275JR ASTM A36 JIS - SS400 |
| Square bars | 8 till 60mm | EN - S275JR ASTM A36 JIS - SS400 |
| Shafting / Round bars | 6 till 100mm | EN - S275JR JIS - SS400 |



Tubulars

| PRODUCT | SIZE | GRADE |
|-----------------------------|--|--|
| MS ERW Pipes Black | Dia 1.0" till 20"-Sch.40 | ASTM A53 GR.B Sch.40, BIS 1387 |
| MS ERW Pipes Galvanized | Dia 0.52" till 10"-Sch.40 | ASTM A53 GR.B Sch.40, BIS 187 |
| SMLS Pipes | 1/2" to 24" | ASTM A 106/A53/API 5L, GRADE-B |
| Alloy Pipes | Dia 2" XXS till 6" XSS | Grade 4130 |
| Square Hollow Sections | SHS 20 x 20 x 1.2mm till 300 x 300 x 12mm | EN 10025/S275JR/S355JR/ EN - S355J0/S355J2H |
| Rectangular Hollow Sections | RHS 20 x 40 x 2mm till 400 x 200 x 10mm | EN 10025/ S275JR EN - S355JR/S355J0/S355J2H |
| Circular Hollow Sections | 4" till 24" | EN 10025/ S275JR EN - S355JR/S355J0/S355J2H |



Product Category

Galvanized Coils, Sheets and Strips

| PRODUCT | SIZE | GRADE |
|-----------------------------------|---|--------------------------|
| Galvanized Sheets | 1.219/1.500 x 2.438/3.000mtr Thickness 0.4mm till 4mm | JIS G 3302/ ASTM A653 |
| GI Coils | 1.219/1.500mtr x coils Thickness 0.4mm till 4mm | JIS G 3302/ ASTM A653 |
| GI Strips | 25mm width and above | JIS G 3302/ ASTM A653 |
| Electro Galvanized Steel Coils | 1.220 coils Thickness - 1.00mm to 3mm | JIS G 3313 SECC E16/16 |



PPGI Coils

| PRODUCT | SIZE | GRADE |
|-------------|--|---------------|
| PPGI. Coils | 1.219 Mtr x Coils Thickness 0.28 till 1.0mm | JIS 3312/3302 |




Stainless Steel

| PRODUCT | SIZE | GRADE | ORIGIN |
|-------------------------------|--|-----------------|------------------|
| SS Coils | 1.219/1500 x Coils Thickness - 0.4mm till 3mm | 304 / 316 / 201 | Taiwan |
| SS Sheets/Plates | 1.219/1.500/2000 x 2438/3000/6000 Thickness - 0.4mm till 20mm | 304 / 316L | Taiwan Europe |
| Welded Pipes | 1/2" to 12"-Sch.10/Sch.40 | 304 / 316 | Taiwan |
| Seamless Pipes | 1/2" to 6" Sch.10/Sch.40/Sch.80 | 316L | Europe |
| SS Hollow Sections | SHS-20x20 till 50x50 RHS-15x30 till 50x25 RT-1/2" till 4" | 304 / 316L | Taiwan |
| Angles , Flat bar & Round bar | Angles 30x30 till 100x100mm Flat Bar-30 to 100mm Round Bar 6 to 50mm | 304 / 316L | India |
| SS Duplex Plate | Thickness 5mm to 10mm | | Europe |





Aluminium Coils & Sheet

| PRODUCT | SIZE | GRADE |
|-------------------------------|---|---------------|
| Aluminium Plain Sheets | 1.219 x 2.438mtr 1.500 x 3.000mtr Thickness - 0.5mm till 16mm | AA1100 / 3003 |
| Aluminium Stucco sheets | 1.219 x 2.438mtr Thickness - 0.5mm till 1mm | AA1100 |
| Aluminium Checkered Sheets | 1.219 x 2.438mtr Thickness 1.2 mm till 6mm | AA1100 |
| Aluminium Coils | 1.219 mtr Thickness 0.6mm till 3mm | AA1100 / 3003 |
| Marine Grade Aluminium Sheets | 1.500 x 3.000mtr Thickness - 3mm till 10mm | AA5083 |



Copper & Brass

| PRODUCT | SIZE | GRADE |
|--------------|--|-------|
| Copper Sheet | 1.219 X 2.438mtr Thickness - 1.0 – 10mm | C1100 |
| Brass Sheet | 1.29 X 2.438mtr Thickness - 0.5 – 10mm. | C2720 |



PC Strand

DESCRIPTION

ASTM A-416, 1860MPA Grade, DCL Approved



CSL Tubes

| PRODUCT | GRADE |
|----------------------------------|----------------------|
| Sonic pipe 50mm OD Length 5.8mtr | Q195, Black Annealed |




Coil Service Center

Slitting Machine

| Material | Mother Coil Width (mm) | Thickness Range (mm) | Slit Width Range (mm) | No. of slits (Maximum) |
|-----------------|------------------------|----------------------|-----------------------|------------------------|
| CRCA | 600 - 1300 | 0.30 - 4.00 | 20mm - 1250 | 30 nos. |
| Stainless Steel | | 0.30 - 2.00 | 20mm - 1250 | 30 nos. |
| GI Coils | | 0.30 - 4.00 | 20mm - 1250 | 30 nos. |
| PPGI | | 0.30 - 2.50 | 20mm - 1250 | 30 nos. |
| Aluminium | | 0.50 - 3.00 | 50mm - 1250 | 10 nos. |
| Hot Rolled | | 1.50 - 3.80 | 50mm - 1250 | 08 nos. |

Note: - Minimum width and numbers of slits varies based on the material thickness and grade.




Cut To Length Machine

| Material | Mother Coil Width (mm) | Thickness Range (mm) | Length Range (mm) |
|-----------------|------------------------|----------------------|-------------------|
| CRCA | 600 - 1550 | 0.30 - 4.00 | 600 - 4000 |
| Stainless Steel | | 0.30 - 2.50 | |
| GI Coils | | 0.30 - 4.00 | |
| PPGI | | 0.30 - 2.50 | |
| Aluminium | | 0.40 - 3.00 | |
| Hot Rolled | | 1.50 - 3.80 | |



Contact Us



TEE DEE INTERNATIONAL FZE

P.O. Box: 6132, Jabel Ali Free Zone, Dubai, U.A.E.

Tel: +971 4 880 6761 Fax: +971 4 880 6762

E-mail: teedee@teedee.ae

www.teedee.ae

TEE DEE WAREHOUSE

P.O. Box: 19623, Dubai, U.A.E.

Tel: +971 4 880 6761 Fax: +971 4 880 6762

E-mail: teedee@teedee.ae

www.teedee.ae



TEE DEE



TEE DEE TRADING LLC

P.O. Box : 19623 Dubai - UAE
Tel : +971 4 880 6761 Fax : +971 4 880 6762
E-mail: teedee@teedee.ae

TEE DEE INTERNATIONAL FZE

P.O. Box : 61362, Jafza South, Dubai - UAE
Tel : +971 4 880 6761 Fax : +971 4 880 6762
E-mail: teedee@teedee.ae

TEE DEE TRADING LLC Br.

Plot No. TP030710A, National Industries Park
Dubai - UAE
Tel : +971 4 883 3475

www.teedee.ae